

CA3500D Single drum vibratory rollers





TECHNICAL DATA

MASSES

Operating mass (incl. ROPS) 11900 kg
Operating mass (incl. Cab) 12100 kg
Module mass (front/rear) 7600 kg/4500 kg
Max. operating mass 13800 kg

DIMENSIONS

Drum width 2130 mm

COMPACTION

Static linear load 36 kg/cm

Nominal amplitude (high/low) 1.9 mm/0.9 mm

Centrifugal force (high/low amplitude) 280 kN/170 kN

Vibration frequency (high/low amplitude) 31 Hz /34 Hz

TRACTION

Speed range (Dual/TC/AS) 4/6/7/12 km/h Vertical oscillation $\pm 9^{\circ}$ Tyre size (8 ply) 23.1 x 26 AW Max. theoretical gradeability 55 %

ENGINE

Manufacturer/Model Cummins QSF3.8 (IV/T4final)

Type Water cooled turbo Diesel

Rated power, SAE J1995 97 kW (130 hp) @ 2200 rpm

Fuel tank capacity 255 I

DEF tank capacity 20 I

ENGINE

Manufacturer/Model Cummins F3.8 (V)

Type Water cooled turbo Diesel

Rated power, SAE J1995 100 kW (135 hp) @ 2,200 rpm

ENGINE

Manufacturer/Model Cummins QSB4.5 (IIIA/3)

Type Water cooled turbo Diesel

Rated power, SAE J1995 97 kW (130 hp) @ 2200 rpm


HYDRAULIC SYSTEM


Driving Hydrostatic
Vibration Hydrostatic
Steering Hydrostatic
Service brake Hydrostatic in forward and reverse lever.
Parking/
Emergency brake Failsafe multidisc brake in drum gear box and in rear axle.

Find us locally at www.dynapac.com



CA3500D Single drum vibratory rollers





DIMENSIONS

DIMENSIONS

A. Wheelbase	2990 mm
B1. Width, front	2304 mm
B2. Width, rear	2130 mm
D. Drum diameter	1520 mm
H1. Height, with ROPS/cab	2880 mm
H2. Height, w/o ROPS/cab	2130 mm
K1. Ground clearance	450 mm
K2. Curb clearance	450 mm
L. Length	5990 mm
O1. Overhang, right	87 mm
O2. Overhang, left	87 mm
R1. Turning radius, outside	5450 mm
R2. Turning radius, inside	3300 mm
S. Drum shell thickness	35 mm
W. Drum width	2130 mm
α. Steering angle	±38°

OPTIONAL EQUIPMENT

Air Conditioning /Automatic Climate Control (ACC) (Optional)

- The system contains fluorinated greenhouse gases.
- Coolant designation: HFC-134a
- Coolant weight when full: 1,35 kg
- CO₂-equivalent: 1,930 ton
- GWP: 1430